

## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.		
10/625,806	07/23/2003	Jean-Claude Ducasse	10792.4801	7761		
22235	7590 07/15/2005		EXAMINER			
MALIN HALEY AND DIMAGGIO, PA			SHARMA, S	SHARMA, SUJATHA R		
	REWS AVENUE ERDALE, FL 33316		ART UNIT	PAPER NUMBER		
	,		2684			
,			DATE MAILED: 07/15/200:	5		

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary		Applicati	Application No. Applicant(s)					
		10/625,8	<b>)</b> 6	DUCASSE, JEAN	DUCASSE, JEAN-CLAUDE			
		Examine	•	Art Unit				
		Sujatha S		2684				
Period fo	The MAILING DATE of this communication a or Reply	appears on the	cover sheet with	the correspondence ac	ddress			
THE - Exte after - If the - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REF MAILING DATE OF THIS COMMUNICATION nsions of time may be available under the provisions of 37 CFR SIX (6) MONTHS from the mailing date of this communication. period for reply specified above is less than thirty (30) days, a reperiod for reply is specified above, the maximum statutory perior to reply within the set or extended period for reply will, by state reply received by the Office later than three months after the material patent term adjustment. See 37 CFR 1.704(b).	N. 1.136(a). In no ev reply within the stat od will apply and w tute, cause the app	ent, however, may a reply utory minimum of thirty (3 ill expire SIX (6) MONTH dication to become ABAN	y be timely filed  30) days will be considered time S from the mailing date of this of IDONED (35 U.S.C. § 133).				
Status								
1)🖂	Responsive to communication(s) filed on 23	July 2003.						
2a)	This action is <b>FINAL</b> . 2b)⊠ This action is non-final.							
3)								
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.							
Dispositi	on of Claims							
4)🖂	Claim(s) <u>1-40</u> is/are pending in the application.							
	4a) Of the above claim(s) is/are withdrawn from consideration.							
5)	Claim(s) is/are allowed.							
-	Claim(s) <u>1-40</u> is/are rejected.							
· · · · · · · · · · · · · · · · · · ·	Claim(s) is/are objected to.							
8)	Claim(s) are subject to restriction and	d/or election r	equirement.					
Applicati	on Papers							
9)	The specification is objected to by the Exami	iner.						
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.								
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).								
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).  11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.								
11)	The path of declaration is objected to by the	Examiner. No	ote the attached C	Trice Action or form P	10-152.			
Priority ι	ınder 35 U.S.C. § 119							
•	Acknowledgment is made of a claim for foreig ☐ All b)☐ Some * c)☐ None of:		_	19(a)-(d) or (f).				
	1. Certified copies of the priority documents have been received.							
	2. Certified copies of the priority docume				Ohama			
	<ol> <li>Copies of the certified copies of the prapplication from the International Bure</li> </ol>	-		ceived in this National	Stage			
* 5	See the attached detailed Office action for a li			ceived				
	and the determined of the determined and	,	ooploo not let	JJ. 104.				
Attachmen	t(s)							
	e of References Cited (PTO-892)		4) Interview Sum					
	e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449 or PTO/SB/0	18)		Mail Date rmal Patent Application (PT0	O-152)			
	r No(s)/Mail Date <u>11/24/2003</u> .	,	6) Other:	· · ·	•			

Application/Control Number: 10/625,806 Page 2

Art Unit: 2684

## Claim Objections

1. Claims 27-29 are objected to because of the following informalities:

In claims 27-29, in line 4, "maintaining" should be replaces by – maintaining an acceptable IF signal--.

Appropriate correction is required.

## Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1-8,11-13,15-17,19,20-23,25-30,32-34 are rejected under 35 U.S.C. 103(a) as being unpatentable over Applicant's admission of prior art, page 1, paragraph 4 (hereafter APA) in view of Lim [US 2003/0119463]

Regarding claims 1,30 the applicant in his APA teaches a system for terrestrial transmission of RF signals comprising:

- an antenna, where said antenna includes an active device and a passive device, where the passive device receives RF signals; See page 1, paragraph 4
- a decoder connected to the antenna, where decoder receives and analyzes IF signals from said antenna. See page 1, paragraph 4

Art Unit: 2684

However, the APA does not disclose a method wherein based on the analysis of the IF signals, sending a command to the active device in order to maintain an acceptable IF signal.

However, Lim, in the same field of endeavor, teaches a method of analyzing the IF signals in a RF receiver and based on the analysis of the IF signals, sending a command to the active device in order to maintain an acceptable IF signal. See fig. 4, page 2, paragraphs, 25 and

Therefore it would have been obvious to one with ordinary skill in the art at the time the invention was made to provide the above teaching of Lim in the decoder of APA in order to ensure linearity of a received signal.

Regarding claim 2, APA discloses a system where said active device down converts the RF signals to the IF signals. See page 1, paragraph 4

Regarding claim 3, APA further discloses a system where said active device includes at least one amplifier. See page 1, paragraph 4

Regarding claim 4, APA further discloses a method a where the at least one amplifier applies a gain onto the RF signals based upon commands from the decoder. See page 1, paragraph 7.

Regarding claim 5, APA discloses a method where the at least one amplifier applies a gain onto the IF signals based upon commands from the decoder. See page 1, paragraph 7

Art Unit: 2684

Regarding claim 6, APA discloses a method where the at least one amplifier applies a gain onto the RF signals and IF signals based upon commands from the decoder. See page 1, paragraph 7

Regarding claim 7, APA discloses a system where the passive device receives RF signals from a satellite and a broadcast center. See page 1, paragraph 5

Regarding claims 8,33 APA discloses a system wherein the at least one amplifier includes at least one of a low noise amplifier and a low noise block converter. See page 1, paragraph 4.

Regarding claims 11,34 APA and Lim disclose all the limitations as claimed. However they do not disclose a method of using DiSEqC process for the commands.

However, the examiner takes official notice that Digital Satellite equipment control (DiSEqC) command is well known standard in Satellite communications.

Therefore it would have been obvious to one with ordinary skill in the art at the time the invention was made to use this standard to ensure compatibility of system components.

Regarding claim 12, APA further discloses a method where the active device includes at least one RF signal amplifier and at least one IF signal amplifier. See page 1, paragraphs 4,7.

Regarding claims 13,32 APA as modified by LIM discloses a method of sending command to the RF amplifier section to selectively activate the RF amplifiers.

Art Unit: 2684

APA further discloses a method wherein the active device also consists of IF amplifier as discloses in page1, paragraph 7.

Therefore it would have been obvious to one with ordinary skill in the art at the timer the invention was made to provide the above teachings of LIM to APA to send command to the IF amplifier section in order to ensure linearity of a received signal.

Regarding claims 15,22 APA discloses method for a terrestrial transmission of RF signals comprising the steps of:

- receiving RF signals via an antenna; see page 1, paragraph 4
- downconverting RF signals to IF signals; See page 1, paragraphs 4,
- transmitting the IF signals via a wire to a decoder; see page, paragraphs 4,5

However, APA does not disclose a method of:

- transmitting commands via the wire to the antenna from the decoder upon receipt of the IF signals;
- adjusting the RF signals and the IF signals based upon the commands; and maintaining an acceptable IF signal for receipt by the decoder.

Lim, in the same field of endeavor, teaches a method of:

- transmitting commands via the wire to the antenna from the decoder upon receipt of the IF signals; See fig. 4, page 2, paragraphs, 25 and 26
- adjusting the RF signals based upon the commands; and maintaining an acceptable IF signal for receipt by the decoder. See fig. 4, page 2, paragraphs, 25 and 26

Art Unit: 2684

APA further discloses a method wherein the active device also consists of IF amplifier as discloses in page1, paragraph 7.

Therefore it would have been obvious to one with ordinary skill in the art at the timer the invention was made to provide the above teachings of LIM to APA to send command to the RF and IF amplifier section in order to ensure linearity of a received signal.

Regarding claim 16, APA further discloses a method a where the at least one amplifier applies a gain onto the RF signals based upon commands from the decoder. See page 1, paragraph 7

Regarding claims 17,23 APA discloses a system wherein the at least one amplifier includes at least one of a low noise amplifier and a low noise block converter. See page 1, paragraph 4.

Regarding claim 19, APA as modified by LIM discloses a method of sending command to the RF amplifier section to selectively activate the RF amplifiers.

APA further discloses a method wherein the active device also consists of IF amplifier as discloses in page1, paragraph 7.

Therefore it would have been obvious to one with ordinary skill in the art at the timer the invention was made to provide the above teachings of LIM to APA to send command to the IF amplifier section in order to ensure linearity of a received signal.

Regarding claim 20, APA discloses a system wherein the at least one amplifier includes at least one of a low noise amplifier and a low noise block converter. See page 1, paragraph 4.

Art Unit: 2684

Regarding claim 25, APA discloses a system where the passive device receives RF signals from a satellite and a broadcast center. See page 1, paragraph 5

Regarding claim 26, APA and Lim disclose all the limitations as claimed. However they do not disclose a method of using DiSEqC process for the commands.

However, the examiner takes official notice that Digital Satellite equipment control (DiSEqC) command is well known standard in Satellite communications.

Therefore it would have been obvious to one with ordinary skill in the art at the time the invention was made to use this standard to ensure compatibility of system components.

Regarding claims 27-29, Lim discloses a method of sending command to the amplifier section to selectively activate the amplifiers to maintain the linearity of the received signal. See fig. 4, page 2, paragraphs, 25 and 26.

3. Claims 9,10,18,21,24,31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Applicant's admission of prior art, page 1, paragraph 4 (hereafter APA) and Lim [US 2003/0119463] in view of Townsend [US 5,323,423].

Regarding claims 9,10,18,21,24,31 APA as treated in claim 1 discloses all the limitations as claimed. However, the APA does not disclose a method wherein the at least one amplifier may apply again of 20 dB to about 91 dB.

Townsend, in the same field of endeavor, teaches a method wherein the amplifier applies a gain 20 dB gain is used in order to provide a linear transfer function of the received signal.

Therefore it would have been obvious to one with ordinary skill in the art at the time the invention was made to provide the above teachings of Townsend in the decoder of APA in order to ensure linearity of a received signal.

4. Claims 14,35, are rejected under 35 U.S.C. 103(a) as being unpatentable over Applicant's admission of prior art, page 1, paragraph 4 (hereafter APA) and Lim [US 2003/0119463] in view of James [US 2004/0060065].

Regarding claims 14,35 APA as modified by Lim discloses all the limitations as claimed. However they do not disclose a method where said commands and IF signals are transmitted upon a single wire connecting the decoder and antenna.

James in the same field of endeavor teaches a method where signals are transmitted from the antenna to the decoders via a single distribution cable. See page 1, paragraph 11.

Therefore it would have been obvious to one with ordinary skill in the art at the time the invention was made to provide the above teachings of James to APA in order to minimize cable between the antenna and the decoder and thus reduce losses.

5. Claims 36-40, are rejected under 35 U.S.C. 103(a) as being unpatentable over Applicant's admission of prior art, page 1, paragraph 4 (hereafter APA) and Lim [US 2003/0119463] in view of Bargroff [US 2004/0214537].

Art Unit: 2684

Regarding claim 36, APA discloses a system for terrestrial transmission of RF signals comprising:

- a plurality of antennas, where each antenna includes an active device and a passive device, where the passive device receives RF signals, and the active device down converts the RF signals to IF signals; see page 1, paragraph 4
- a plurality of master decoders, where each master decoder receives and analyzes the IF signals from each antenna. See page 1, paragraph 4

However, the APA does not disclose a method wherein based on the analysis of the IF signals, sending a command to the active device in order to maintain an acceptable IF signal.

Lim, in the same field of endeavor, teaches a method of analyzing the IF signals in a RF receiver and based on the analysis of the IF signals, sending a command to the active device in order to maintain an acceptable IF signal. See fig. 4, page 2, paragraphs, 25 and 26

Therefore it would have been obvious to one with ordinary skill in the art at the time the invention was made to provide the above teaching of Lim in the decoder of APA in order to ensure linearity of a received signal.

Further APA as modified by LIM does not disclose the use of a distribution switch.

Bragroff, in the same field of endeavor, teaches the use of a distribution switch between the antenna and the end user decoders.

Therefore it would have been obvious to one with ordinary skill in the art at the time the invention was made to use the distribution switch taught by Bragroff in the modified APA system in order to provide a method of signal distribution that is invariant to changes in signal powers.

Art Unit: 2684

Regarding claim 37, APA discloses a method where each active device of each antenna includes at least one amplifier and selectively applies a gain to at least one of the RF signals and IF signals based upon commands from each respective master decoder. See page 1, paragraph 7

Regarding claims 38,39 APA as modified by LIM discloses a method of sending command to the RF amplifier section to selectively activate the RF amplifiers.

APA further discloses a method wherein the active device also consists of IF amplifier as discloses in page1, paragraph 7.

Therefore it would have been obvious to one with ordinary skill in the art at the timer the invention was made to provide the above teachings of LIM to APA to send command to the IF amplifier section in order to ensure linearity of a received signal.

Regarding claim 40, Bragroff further discloses a system where said distribution switch (130 IN Fig. 1) transmits IF signal to at least one further distribution switch (170 in Fig.1), wherein at least one further decoder connects the distribution switch to the at least one further distribution switch. See paragraphs 37-47.

## **Conclusion**

2. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Yamamoto [US 2003/0148747]

Radio Base Station

Kushima [US 2004/0214545]

Antenna amplifier and shared antenna amplifier

Art Unit: 2684

Koyama [US 6,771,719] Automatic gain control method and its system

Page 11

Sato [US 2004/0248536] Receiving circuit having improved distortion

characteristics

Kraftt [US 2004/0028149] Programmable integrated DiSEqC receiver

Williams [US 6,493,873] Transmodulator with dynamically selectable

channels

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sujatha Sharma whose telephone number is 571-272-7886. The examiner can normally be reached on Mon-Fri 7.30am - 4.00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nay Maung can be reached on 571-272-7882. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Sujatha Sharma June 20, 2005

EDAN ORGAD PATENT EXAMINER/TELECOMM.